



HiCu 2002 (dual-antenna config, modes 1,3,4,5,6,7) Data (cal: 50.0,55.0)

W2002-07-18-16-53-53 - PPMAG4		Min	Max	Mean	Std	Varc%
IRIG:1,UTC: 16:53:51.43 to 16:56:14.44, Dur: 143s	hhN(dB)	-65.77	-61.72	-63.52	-72.68	12.1
TimeLngth: 143.02s, TimeInt: 25ms (39.6pps)	vvN(dB)	-68.67	-60.14	-66.67	-74.65	15.9
TimeCor=-13.0s, DSPDif(mn,min,mx):6000931,-976,-21	hhL(dB)	-17.32	-0.99	-8.96	-10.14	76.2
PPS(min,max,std): 0,319,3.91	vvL(dB)	-25.27	-6.02	-10.95	-16.25	29.5
Prof: 247 to 5913, NumProf(t/r): 5666/5666	ppN(m/s)	-11.99	12.17	0.08	4.21	
MxACQtime: 22ms; DRate: 330.1KB/s; Flags: 0, 0, 0	ppT(m/s)	-94.73	96.17	0.67	33.29	
Pulse: 275ns, lFfilt: 5.0MHz; ppPol: HH HV VV	hh/vv(dB)	-NaN	49.65	13.64	35.79	1642
TxPol: HHVV, PRF: 20 10 20 10 kHz	vh/hh(dB)	-99.00	-99.00	-99.00	-99.00	-99.
Range: Delay 75m, Spacing 30m, Gates 150	hv/vv(dB)	-99.00	-99.00	-99.00	-99.00	-99.
Ave. Pulses: 56, Rng/Prof Aspect@90m/s: 13.2	hnjmp(dB)	-2.32	2.60	0.20	-7.52	16.9
	vnjmp(dB)	-2.55	2.52	0.23	-7.45	17.1