



HiCu 2002 (dual-antenna config, modes 1,3,4,5,6,7) Data (cal: 50.0,55.0)

	Min	Max	Mean	Std	Varc%	
W2002-07-18-18-11-24 - PPMAG4						
IRIG:1,UTC: 18:11:22.18 to 18:18:09.98, Dur: 407s	hhN(dB)	-65.28	-60.99	-62.88	-72.04	12.1
TimeLngth: 407.80s, TimeInt: 25ms (38,9pps)	vvN(dB)	-68.25	-61.01	-66.02	-74.84	13.1
TimeCor=-13.0s, DSPDif(mn,min,mx):25,19,334	hhL(dB)	-10.36	2.16	1.13	-5.24	23.1
PPS(min,max,std): 5,43,4.56	vvL(dB)	-13.38	-0.05	-1.77	-6.15	36.5
Prof: 683 to 16555, NumProf(t/r): 15872/15872	ppN(m/s)	-12.51	12.49	0.00	4.17	
MxACQtime: 22ms; DRate: 324.3KB/s; Flags: 0, 0, 0	ppT(m/s)	-98.85	98.69	0.03	32.91	
Pulse: 275ns, IFfilt: 5.0MHz; ppPol: HH HV VV	hh/vv(dB)	-NaN	98.68	51.78	76.05	2671
TxPol: HHVV, PRF: 20 10 20 10 kHz	vh/hh(dB)	-NaN	-29.68	-47.06	-40.24	480.
Range: Delay 75m, Spacing 30m, Gates 150	hv/vv(dB)	-NaN	-30.41	-47.75	-38.15	913.
Ave. Pulses: 56, Rng/Prof Aspect@90m/s: 13.0	hn_jmp(dB)	-2.68	3.13	0.23	-7.46	17.0
	vn_jmp(dB)	-2.58	2.82	0.21	-7.48	17.0