



HiCu 2002 (dual-antenna config, modes 1,3,4,5,6,7) Data (cal: 49.0,50.0)

	Min	Max	Mean	Std	Varc%	
W2002-07-19-16-47-33 - PPMAG4						
IRIG:1,UTC: 16:47:30.79 to 16:52:37.10, Dur: 307s	hhN(dB)	-65.18	-61.77	-63.31	-73.27	10.1
TimeLngth: 306.32s, TimeInt: 29ms (34.1pps)	vvN(dB)	-68.28	-64.82	-66.36	-76.40	9.9
TimeCor=-13.0s, DSPDif(mn,min,mx):29,28,174	hhL(dB)	-7.01	0.31	-1.64	-7.98	23.3
PPS(min,max,std): 27,36,2.06	vvL(dB)	-13.41	-7.74	-9.82	-17.43	17.3
Prof: 2577 to 13034, NumProf(t/r): 10457/10457	ppN(m/s)	-12.52	12.68	0.00	4.16	
MxACQtime: 33ms; DRate: 191.1KB/s; Flags: 0, 0, 0	ppT(m/s)	-98.89	100.17	0.00	32.89	
Pulse: 275ns, IFfilt: 5.0MHz; ppPol: HH HV VV	hh/vv(dB)	17.14	21.29	19.89	16.24	43.1
TxPol: HHVV, PRF: 20 10 20 10 kHz	vh/hh(dB)	-99.00	-99.00	-99.00	-99.00	-99.
Range: Delay 75m, Spacing 30m, Gates 100	hv/vv(dB)	-NaN	-33.43	-46.32	-44.17	163.
Ave. Pulses: 84, Rng/Prof Aspect@90m/s: 11.4	hn_jmp(dB)	-1.84	2.14	0.19	-8.35	14.0
	vn_jmp(dB)	-2.30	2.55	0.19	-8.39	13.9