



HiCu 2002 (dual-antenna config, modes 1,3,4,5,6,7) Data (cal: 50.0,55.0)

W2002-07-19-17-36-01 - PPMAG4						
IRIG:1,UTC: 17:35:58.13 to 17:38:28.81, Dur: 150s	hhN (dB)	Min	Max	Mean	Std	Varc%
TimeLngth: 150.68s, TimeInt: 37ms (26.6pps)	vvN (dB)	-69.75	-66.35	-68.06	-77.98	10.2
TimeCor=-13.0s, DSPDif(mn,min,mx):37,36,177	hhL (dB)	-71.96	-58.92	-69.95	-72.60	54.3
PPS(min,max,std): 23,28,1.37	vvL (dB)	-13.19	0.42	-5.65	-7.40	66.8
Prof: 280 to 4294, NumProf(t/r): 4014/4014	ppN (m/s)	-21.43	-4.28	-11.72	-12.08	92.2
MxACQtime: 33ms; DRate: 149.1KB/s; Flags: 0, 0, 0	ppT (m/s)	-7.56	7.53	-0.07	2.65	
Pulse: 575ns, IFfilt: 2.0MHz; ppPol: HH HV VV	hh/vv (dB)	-7.51	7.72	-0.54	1.44	
TxPol: HHVV, PRF: 10 10 10 10 kHz	vh/hh (dB)	-NaN	72.85	-NaN	61.88	-303
Range: Delay 105m, Spacing 45m, Gates 100	hv/vv (dB)	-NaN	-37.25	-49.61	-44.14	352.
Ave. Pulses: 84, Rng/Prof Aspect@90m/s: 13.3	hn/jmp (dB)	-99.00	-99.00	-99.00	-99.00	-99.
	vn/jmp (dB)	-2.21	1.86	-0.05	-8.51	14.3
		-2.59	2.88	-0.10	-8.34	15.0