



HiCu 2002 (dual-antenna config, modes 1,3,4,5,6,7) Data (cal: 49.0,50.0)

W2002-07-20-16-40-09 - PPMAG4						
IRIG:1,UTC: 16:40:05.79 to 16:41:33.79, Dur: 88s	hhN(dB)	Min	Max	Mean	Std	Varc%
TimeLngth: 87.99s, TimeInt: 29ms (34,1pps)	vvN(dB)	-65.05	-61.28	-62.71	-72.81	9.8
TimeCor=-13.0s, DSPDif(mn,min,mx):29,28,163	hhL(dB)	-67.75	-64.43	-65.75	-75.76	10.0
PPS(min,max,std): 22,36,2.30	vvL(dB)	-3.31	0.64	-0.38	-10.47	9.8
Prof: 729 to 3729, NumProf(t/r): 3000/3000	ppN(m/s)	-13.81	-9.80	-11.86	-20.38	14.1
MxACQtime: 33ms; DRate: 190.8KB/s; Flags: 0, 0, 0	ppT(m/s)	-11.36	12.13	-0.21	4.20	
Pulse: 275ns, IFfilt: 5.0MHz; ppPol: HH HV VV	hh/vv(dB)	-89.75	95.79	-1.62	33.16	
TxPol: HHVV, PRF: 20 10 20 10 kHz	vh/vh(dB)	11.83	24.36	18.76	18.64	97.2
Range: Delay 75m, Spacing 30m, Gates 100	hv/hv(dB)	-99.00	-99.00	-99.00	-99.00	-99.
Ave. Pulses: 84, Rng/Prof Aspect@90m/s: 11.4	hn/vv(dB)	-NaN	-33.24	-46.30	-44.07	167.
	hn/jmp(dB)	-1.46	2.66	0.22	-8.49	13.5
	vn/jmp(dB)	-1.88	1.90	0.19	-8.37	13.9