



HiCu 2002 (dual-antenna config, modes 1,3,4,5,6,7) Data (cal: 50.0,55.0)

W2002-07-20-16-43-58 - PPMAG4	hhN (dB)	Min	Max	Mean	Std	Varc%
IRIG:1,UTC: 16:43:54.62 to 16:47:36.24, Dur: 222s	vvN (dB)	-69.32	-66.01	-67.57	-77.51	10.1
TimeLngth: 221.62s, TimeInt: 37ms (26.6pps)	hhL (dB)	-71.41	-61.54	-69.62	-77.29	17.1
TimeCor=-13.0s, DSPDif(mn,min,mx):37,36,172	vvL (dB)	-5.95	3.21	0.06	-4.55	34.6
PPS(min,max,std): 23,28,1.36	ppN (m/s)	-16.56	-5.12	-9.70	-14.40	33.9
Prof: 98 to 6003, NumProf(t/r): 5905/5905	ppT (m/s)	-7.44	7.59	-0.07	2.59	
MxACQtime: 33ms; DRate: 149.1KB/s; Flags: 0, 0, 0	hh/vv (dB)	-6.67	0.13	-1.52	2.17	
Pulse: 575ns, IFfilt: 2.0MHz; ppPol: HH HV VV	vh/hh (dB)	-NaN	73.77	41.94	61.67	9388
TxPol: HHVV, PRF: 10 10 10 10 kHz	hv/vv (dB)	-NaN	-36.79	-50.28	-43.55	470.
Range: Delay 105m, Spacing 45m, Gates 100	hn/jmp (dB)	-99.00	-99.00	-99.00	-99.00	-99.
Ave. Pulses: 84, Rng/Prof Aspect@90m/s: 13.3	vn/jmp (dB)	-2.08	2.30	-0.05	-8.50	14.3
		-2.22	3.73	-0.11	-8.49	14.5