



HiCu 2002 (dual-antenna config, modes 1,3,4,5,6,7) Data (cal: 50.0,55.0)

W2002-07-20-17-16-45 - PPMAG4	Min	Max	Mean	Std	Varc%	
IRIG:1,UTC: 17:16:40.75 to 17:17:55.73, Dur: 75s	hhN (dB)	-69.12	-66.25	-67.61	-77.46	10.4
TimeLngth: 74.98s, TimeInt: 37ms (26.6pps)	vvN (dB)	-71.10	-64.00	-69.67	-78.15	14.2
TimeCor=-13.0s, DSPDif(mn,min,mx):37,36,166	hhL (dB)	-4.40	1.23	-1.36	-7.83	22.5
PPS(min,max,std): 21,28,1.45	vvL (dB)	-9.11	-4.54	-6.31	-12.71	22.9
Prof: 241 to 2239, NumProf(t/r): 1998/1998	ppN (m/s)	-7.65	7.12	-0.10	2.62	
MxACQtime: 33ms; DRate: 149.2KB/s; Flags: 0, 0, 0	ppT (m/s)	-2.60	0.08	-0.51	0.74	
Pulse: 575ns, IFfilt: 2.0MHz; ppPol: HH HV VV	hh/vv (dB)	-NaN	71.60	-NaN	58.16	-383
TxPol: HHVV, PRF: 10 10 10 10 kHz	vh/hh (dB)	-NaN	-34.99	-46.38	-42.88	223.
Range: Delay 105m, Spacing 45m, Gates 100	hv/vv (dB)	-99.00	-99.00	-99.00	-99.00	-99.
Ave. Pulses: 84, Rng/Prof Aspect@90m/s: 13.3	hn/jmp (dB)	-1.96	1.96	0.18	-8.20	14.5
	vn/jmp (dB)	-1.95	1.99	0.16	-8.32	14.2